

EL[®]MARK

The Brand of Electricity

TWO & FOUR LINES SKY TL5



TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V/ 50-60Hz
- Power: 6.5W
- Power supply: Control gear; DC device- driver, included in the set
- Colour temperature: 2700K; 4000K;
- LED source: Epistar Taiwan
- Type of LED: COB
- Colour: White; Black; Grey
- Body: Aluminium
- Beam angle: 40°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Long life: 30 000h
- Protection against dust and moisture: IP40

Features:

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

Area of application:

- Commercial sites
- Administrative buildings
- Banks
- Hospitals
- Schools
- Entertainment and leisure spots


TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK

The Brand of Electricity

Variants and Dimensions:



TWO LINES SKY TLR

Watt	Whole fixture lumens	Colour temp.	Beam angle	Colour body	Size (mm)		Catalogue number
					Diameter	Height	
6.5	500	4000	40°	White	57	147	93TL5LEDW/WH
6.5	500	2700	40°	White	57	147	93TL5LEDWW/WH
6.5	500	4000	40°	Black	57	147	93TL5LEDW/BL
6.5	500	2700	40°	Black	57	147	93TL5LEDWW/BL
6.5	500	4000	40°	Grey	57	147	93TL5LEDW/GR
6.5	500	2700	40°	Grey	57	147	93TL5LEDWW/GR

FOUR LINES SKY TLR

Watt	Whole fixture lumens	Colour temp.	Beam angle	Colour body	Size (mm)		Catalogue number
					Diameter	Height	
6.5	500	4000	40°	White	57	147	94TL5LEDW/WH
6.5	500	2700	40°	White	57	147	94TL5LEDWW/WH
6.5	500	4000	40°	Black	57	147	94TL5LEDW/BL
6.5	500	2700	40°	Black	57	147	94TL5LEDWW/BL

TECHNICAL SPECIFICATION



INDOOR- SPOTLIGHTS

ELMARK®

The Brand of Electricity

EMPTY FIXTURES SKY TLR

Type	Colour body	Body	Size (mm)		Catalogue number
			Diameter	Height	
2-LINES	White	Aluminium	57	147	93TL5
2-LINES	Black	Aluminium	57	147	93TL5LEDBL
2-LINES	Grey	Aluminium	57	147	93TL5LEDGR
4-LINES	White	Aluminium	57	147	94TL5
4-LINES	Black	Aluminium	57	147	94TL5LEDBL



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4

